



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).


If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



AUTO SAFETY HOTLINE (800) 424-9393 Wash. D.C. Area 366-0123



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

82 PSU

CASE NO. 621 P

TYPE OF ACCIDENT COMPACT PICKUP TURN LEFT/PEDESTRIAN WALKING

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

> Vehicle #1 was southbound in the left turn lane of a 2-way street and proceeded to make a left turn at an intersection. A pedestrian was walking northbound in a crosswalk when the front of Vehicle #1 struck the pedestrian who wrapped face down on the hood. The driver hit the brakes and the pedestrian was thrown forward and landed on his back.

B. PEDESTRIAN PROFILE									
Pedestrian	ere injury BY ZONE CENTER)								
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	79	Male	Fatality	Head	Head LOC	45	grou ~ d		

Type of Anatomic Structure

Head	Whole Area
Face	Vessels
Throat	Nerves

Chest **Organs** Abdomen/Pelvis Skeletal Spine Head-LOC **Upper Extremity**

Skin-Burn **Lower Extremity** Skin-Other External

Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

C. VEHICLE PROFILE


	Class	Class		Most Severe Damage Based on Vehicle Inspection				
Vehicle No.		Year/Make/Model	Damage Plane	Damage Description				
01	Pickup Truck	92/Nissan/Truck	Front	Minor - dents, smudges, scratches				

DO NOT SANITIZE THIS FORM


Body Region

U.S. Department of Transportation National Highway Traffic Safety **ACCIDENT COLLISION DIAGRAM**

NATIONAL ACCIDENT SAME SYSTEM
PEDESTRIAN CRASH S. A STUD



U.S. Department of Transportation National Highway Traffic Safety Administration





U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 22 Case Number-Stratum 62 P								
PEDESTRIAN ACCIDENT CO	LLISION DATA C	OLLECTION		SCALED DIAGRAM				
document reference point and reference line relative to physical features	Surface Type	tsphalt	h arrow placed on diagram					
 documentation of all accident induced physical evidence including (if applicable): 	Surface Condition	Dry	de measurements for all applicable dways					
a) vehicle skid marks	Coefficient of Fric	tion (1 to O	elled representations of the physical plant uding:					
b) pedestrian contacts with ground or object	Grade (v/h) Meas	urement + 2/2	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)					
c) vehicle/pedestrian point of impact (POI)	a) at impac	* <u>/ 2 } </u>	b)	all traffic controls (e.g., lights, signs)				
d) location of pedestrian separation point from vehicle	b) betweer final res	impact and 1/122	led representations of the vehicle and lestrian at pre-impact, impact, and final t based upon either:					
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	Direction North	a)	physical evidence, or				
documentation of the physical plant including:	Vehicle Travel Di	rection Kunt	b)	reconstructed accident dynamics				
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)								
b) all traffic controls (e.g., lights, signs)								
Reference Point: Drain at S	ontheost	Reference Line: Som	<u>th</u> (Intr Edge				
		Distance and Direction	n	Distance and Direction				
ltem		from Reference Point		from Reference Line				
Rout of Temports		1.9 W	(1.2N)					
Final fer Pelsot		6.4 E	4.5N					
(T) (1) Front Corner	finest	4.68	5.7 N					
(I) (I) (I) (I)	"	4.25	4.10					
(1) DFamb Tipe For	al foot	3.8€	5.90					
(I) (B) FRONTO " "		3.5E		4.21				
(I) (I) Rem " "	\ \\	1.5E		6.37				
W Fren "	n n	1.1巨		4.70				
Objects of federic		2.17		8.67				
	42	3,5W	`	9.00				

Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1	Primary	Sampling	Unit	Number
١.	rilliary	Sampling	Oint	Humber

Case Number - Stratum


IDENTIFICATION

3. Number of General Vehicle *Forms Submitted

4. Date of Accident (Month, Dav, Year)



5. Time of Accident



Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ___SS15 Administrative Use 0

7. _____SS16 Pedestrian Crash Data Study _1

0 8. SS17 Impact Fires

0 **SS18**

0 10. ____SS19

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. 15	15.	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>			

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (99) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

ational Highway Traffic Safety Iministration	NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number 2. Case Number - Stratum	10. Pedestrian's Weight Code actual weight to the nearest kilogram.
3. Pedestrian Number <u>0 1</u>	(999) Unknown 2 2 8 pounds X .4536 = kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising
centimeter. (999) Unknown (1) Inches X 2.54 = 1 7 5 centimeters 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown 49,8	(8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters 9. Pedestrian's Height - Ground to Shoulder Code to the nearest	(06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle
centimeter. (999) Unknown inches X 2.54 = centimeters	(2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

The second second	
PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
	(01) At sides
45. Budantainala First Avaidance Actions	(02) Folded across chest
15. Pedestrian's First Avoidance Actions	(03) Hands clasped behind back
(00) No avo dance actions	· · ·
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	O h ath assess
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
` '	
	19. Pedestrian's Leg Orientation
•	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
PEDESTRIAN G ORIENTATION AT IIII AG	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
1	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	(b) (
(5) Down (8) Other (specify):	20. Vehicle/Pedestrian's Interaction
	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(04) Passed over vehicle top
	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown 	799	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
(99) Unknown if test given Source: 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown		Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown 27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown 29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	Service Signal Services and the service of the services of the
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO3 (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO3 (96) ABGs reported, HCO3 unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours, If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO [/] UPDATE CANDIDATE	OS INCLUDED WITH INITIAL SUBMISSION? YES [] ? NO [] YES []

Administration

U.S. Department of Transportation
National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

= <u>5</u> 1 = 5

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

<u>X</u> <u>X</u>

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


Source of Injury Body Anatomic Anatomic Level of A.I.S. Data Region Structure Structure Injury Severity Aspect 1st 5. \(\sum 6. \omega 7. \sum 9 & 8. \omega 2 9. \omega 2 10. \sum 11. \sum 12. \) 2nd 18. \(\sum 19. \sum 7 & 20. \sum 9 & 21. \omega 4 & 22. \omega 2 & 23. \sum 24. \sum 25. \) 3rd 31. \(\sum 32. \sum 33. \sum 9 & 34. \omega 4 & 35. \omega 2 & 36. \sum 37. \sum 2 & 38. \)	25. <u>7 7 0</u> 26. <u>1</u> 27. <u>1</u> 28. <u>2</u> 29. <u>2</u> 30. <u>2</u>
2nd 18. 1 19. 7 20. 9 21. 0 4 22. 0 2 23. 1 24. 2 25. 3rd 31. 1 32. 7 33. 9 34. 0 4 35. 0 2 36. 37. 2 38.	25. <u>7 7 0</u> 26. <u>1</u> 27. <u>1</u> 28. <u>2</u> 29. <u>2</u> 30. <u>2</u>
3rd 31. 1 32. 7 33. 9 34. 0 4 35. 0 2 36. 1 37. 2 38	
	38. 7 7 0 39. 1 40. 1 41. 2 42. 2 43. 2
4th 44. 45. 7 46. 9 47. 0 2 48. 0 2 49. 1 50. 2 51	51. 770 52. 53. 54. 255. 2 56. 2
5th 57. 1 58. 4 59. 5 60. 2 61. 3 2 62. 4 63. 2 64	64. 770 65. 1 66. 1 67. 2 68. 2 69. 2
6th 70. 1 71. 7 72.9 73. 04 74.02 75. 1 76. 1 77	77. 770 78. 1 79. 1 80. 2 81. 2 82.
7th 83. 1 84. 2 85. 5 86. 0 6 87. 0 0 88. 1 89. 9 90	90. 788 91. 92. 93. 4 94. 3 95. 3
8th 96. 1 97. 1 98. 5 99. 02 1000 2101. 3 102. 8 101	103. <u>947</u> 104. <u>/</u> 105. <u>/</u> 106. <u>0</u> 107. <u>0</u> 108. <u>0</u>
9th 109. 110. 111. 112. 112. 113. 02 114. 2 115. 5 11	116. 9 4 7 117. 1 118. 1 119. 0 120. 0 121.0
10th 122. 123. 124. 5 125. 0 4126. 0 2127. 2728. 1 12	129. <u>9 4 7,30. 1 131. 1 132. 0 33.0 134.0</u>

I						PEDES	STRIA	JUNI N	JRY DAT	A				
	of in	urce njury ata	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
	11th <u>/</u>	<u>'</u>	Ĺ	4	06	56	5	3	347	<u>/</u>	<u>/</u>	<u>o</u>	0	<u>D</u>
	12th /	<u>-</u>	<u>/</u>	4	06	24	4	<u>3</u>	947	<u>) </u>	<u>)</u>	<u>o</u>	<u>8</u>	<u>5</u>
	13th <i>]</i>	<u>)</u>	1	4	06	28	5	<u>3</u>	947	<u> </u>	<u></u>	_0	<u>o</u> _	<u>o</u> _
	14th _	2	1	6	08	20	<u>4</u>	<u>D</u>	947	_		<u>0</u>	<u>a</u>	Δ_
•	15th _	<u>/</u>	<u>/</u>	<u>4</u> .	02	10	<u>5</u>	<u>8</u>	347			<u>o</u>	<u>o</u>	O
	16th <u>/</u>	<u></u>	<u>/-</u>	4	02	0 4	5	<u>8</u>	<u> </u>		_		o	O _
	17th: <u>/</u>	<u>/</u>	. <u>/-</u>	4	04	38	4	<u>6</u>	947	<u></u>	7	<u> </u>	0	ام
K	18th _	2		<u>4</u>	06	66	5	1	947			_0	<u>o</u>	<u>o</u>
	19th _	2	<u>'</u>	4	06	66	<u></u>	2	947	<u>.</u>	<u> </u>	_0	<u>o</u>	o _
	20th													
	21st _												- 1	
	22nd _													
	23rd			<u>.</u>		<u> </u>								
	24th				 									
	25th	_												

¥

INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE SOURCE OF INJURY DATA (1) Certain (2) Probable (0) injury not from vehicle contact OFFICIAL No damage/contact (1) Autopsy records with or without hospital/ (3) Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (3) Dent (2) Hospital/medical records other than Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge Cracked, fractured, shattered Direct contact injury summary) (6) Separated from vehicle (2) Indirect contact injury (3) Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (8) (7) Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥15 centimeters) Rounded (contoured) DAMAGE DEPTH (0) Injury not from vehicle contact UNOFFICIAL (1) No residual damage (5) Lay coroner report Surface only damage Crush depth >0 to 2 centimeters (6) E.M.S. personnel (3) Rounded edge (7) interviewee Crush depth > 2 to 5 centimeters Sharp edge Other (specify): (8) Other source (specify): Crush depth > 5 to 10 centimeters Other specify:_ (9) Police (9) Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Abbreviated Injury Scale **Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic Minor injury Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Lumbar Moderate injury (2) Face (3) (4) Serious injury (3) Neck Severe injury Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit (06) Skin - Laceration (08) Skin - Avulsion Thorax (5) Critical injury (5) Abdomen numbers beginning with 02 (6) Maximum (untreatable) (10) Amputation (6)Spine Injured, unknown severity (7) Upper Extremity (20) Burn (7) (30) Crush (40) Degloving (50) Injury - NFS Level of Injury **Lower Extremity** Aspect (9) Unspecified injuries assigned Right Left (1) Type of Anatomic Structure Trauma, other than mechanical consecutive two-digit numbers beginning with 02. (3) Bilateral Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Whole Area To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to (4) (5) Central Vessels (2) Anterior (3) Nerves (6) Posterior (4)Organs (includes muscles/ (10) Concussion severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury (7) (8) Superior ligaments) Skeletal (includes joints) Inferior Unknown Head - LOC NFS as to lesion or severity. Whole region Skin (9) **INJURY SOURCE** FRONT Wheels / tires 790 Left front wheel / tire 744 8 pillar 700 Front bumper 791 Right front wheel / tire 745 C pillar 701 Front lower valance/spoiler 792 Left rear wheel / tire 746 D pillar 702 Front grille 793 Right rear wheel /tire 748 Other pillar (specify):_ 703 Hood edge and/or trim 798 Other wheel / tire (specify): 749 Right side roof rail 704 Hood ornament (fixed) 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) Undercarriage components 753 Right side folding mirror 800 Front crossmember 708 Turn signal/parking lights ot 1754 Right side glazing forward of B pillar Place 1755 Right side glazing rearward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object (specify): LICENIC (719 Unknown front object 802 Oil pan 803 Exhaust system pipe 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission 805 Drive shaft Left Side Components 758 Other right side object (specify): 806 Catalytic converter 720 Front fender side surface 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar Back Components 760 Rear (back) bumper 809 Fuel tank 723 A2 pillar 810 Rear suspension 724 B pillar 818 Other undercarriage component 761 Tailgate 725 C pillar (specify): 762 Hatchback, vertical surface 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 769 Unknown back component **Accessories** 729 Left side roof rail 820 Air scoop, deflector 821 Cellular or CB radio antenna 730 Left side door surface Top Components 731 Left side door handle 822 Emergency lights or bar 770 Hood surface 732 Left side mirror fixed housing 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 772 Front fender top surface 825 Cargo (specify):_ 735 Left side glazing rearward of B pillar 826 Spare tire 773 Cowl area 736 Left side back fender or quarter panel 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 775 Windshield glazing 828 Other accessory (specify):_ 738 Other left side object 776 Front header (specify): Other Object or Vehicle in Environment 777 Roof surface 739 Unknown left side component 947 Ground 778 Backlight glazing 948 Other object (specify): 779 Rear header Right Side Components 949 Unknown object in environment 740 Front fender side surface 780 Hatchback 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna Spreye 997 Noncontact injury source 788 Other top component (specify): 742 A1 pillar 999 Unknown injury source 743 A2 pillar 789 Unknown top component

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA - SKELETAL INJURIES

Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are 1,150402.2,1

Blood Alcohol Level (mg/dl)

+ diazepana

Glasgow Coma Scale Score


Units of Blood Given

Units =


Arterial Blood Gases

$$Ph = 7.40$$
 $PO_2 = 288$
 $PCO_2 = 33$

HCO₃



OFFICIAL INJURY DATA -INTERNAL INJURIES



Nation	Department of Transportation nal Highway Traffic Safety	PEDESTRIAN GENEI	IERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SPEDESTRIAN CRASH DATA	SYSTER STUD
	Primary Sampling Unit Numb	er 82	OFFICIAL RECORDS	
	Case Number - Stratum	9 / E	9. Police Reported Travel Speed	
3.	Vehicle Number	0_1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above	
	VEHICLE IDENTIF	ICATION	(999) Unknown	
4.	Vehicle Model Year Code the last two digits of the (99) Unknown		mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit	<u>o</u> _
5.	Vehicle Make (specify): Applicable codes are found in NASS PCDS Data Collection Editing Manual.		in kmph (999) Unknown mph X 1.6093 = kmph 11. Police Reported Alcohol Presence For Driver	Q
6.	Vehicle Model (specify): Applicable codes are found in NASS PCDS Data collection Editing Manual. (999) Unknown	n your , Coding and	(0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx)	<u>6</u>
	. Body Type Note: Applicable codes may the back of this page.		(95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown	
8	Vehicle Identification Number No. 1 Society: Slash zeros and No. VIN—Code all zeros. Unknown—Code all nines.	11 12 13 14 15 16 17	Source: 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown	
			14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown	#

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover,
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (< 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, 4.500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)(78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA			
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 10 kilograms or more (999) Unknown	18. Impact Speed 2 0 3 3 Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown			
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown JS lbs x .4536 =, 34 kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates			
	PRECRASH DATA			
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): Sun in eyes (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown			

. Selection

ational Accident Sampling System-Crashworthiness D	Pata System: Pedestrian General Venicle Form Page
\	(20) B. delevelist or other population in readings
23. Critical Precrash Event	_ (83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.) (88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(00) Other added of control loss (specify)	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
· ·	(30) Other children products over (speedly).
This Vehicle Traveling	(00) Helenous
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	111
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(O3) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left (07) Steering right (08) Braking and steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
• • • • • • • • • • • • • • • • • • • •	(98) Other action (specify):
(55) Backing (59) Unknown travel direction of other motor vehicle	
	(00) (110,100)
in lane	25. Precrash Stability After Avoidance Maneuver
Other Motor Vehicle Encroaching Into Lane	(0) No driver present
(60) From adjacent lane (same direction)—over left	(1) No avoidance maneuver
lane line	1 101 - 11
(61) From adjacent lane (same direction) — over right	(3) Skidding longitudinally—rotation less than 30
lane line	degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	on
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	7
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRONMENTAL DATA								
27.	(O) Non-junction	$\frac{ \beta }{ \beta }$	33. Roadway Surface Condition (1) Dry (2) Wet						
	 (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related 		(2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify):						
	 (5) Other non-interchange (specify): (6) Unknown type of non-interchange (9) Unknown if interchange 		34. Traffic Control Device (0) No traffic control(s)						
20	(9) Unknown if interchange Trafficway Flow	1	(1) Trafficway traffic control signal (not RR crossing)						
28.	 Not physically divided (two way traffic) Divided trafficway - median strip without positive barrier Divided trafficway - median strip with positive barrier One way trafficway Unknown 	-}	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):						
29.	Number of Travel Lanes	18	(7) Warning sign (not RR crossing)(8) Miscellaneous/other controls including RR controls (specify):						
	 (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown 	1	(9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown						
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	1	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk						
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	2 B	(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow						
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	<u>&</u>	(5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown						

	•	
	96	
	82 - 621	·
	92 NISS an P.U 7970m	**************************************
* In the countries were and the contribution of the contribution o	49 YO = L9"	
graphyriding action of the first color of the color of th	228 **	
	POI to J=AP = 7m = 28 ft	
	4 = 0,60	
	PR time - broking prior to injust	
	V= V12)(5)(4)(g)	
	= 7 (2) (23) (060) (32.2)	
- material a said residente della companya della materiale della companya della c	= 29.8 fps = 20.3 mph = 32.6 Kpl	
	33 KP h	

The state of the s		
The second control of		
		e e e

- Professional Conference (Table 1992) (Ta

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

Model Year

Vehicle Make (specify):

Vehicle Model (specify):



PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

Jeel	
9	om cm
$\stackrel{\cdot}{\rightarrow}$	40 cm
	$\frac{40}{}$ cm
1	$\frac{40}{20}$ cm
St. She	
St. 570	\overline{Q}

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm cm

cm

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield


PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm cm cm cm

W.

cm



4545


VEHICLE DAMAGE SKETCH

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

PEDESTRIAN SIDE CONTACT W	ORK SHEET
PEV06 Hood Material	·
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
	<u> </u>
VERTICAL MEASUREMEN	TS
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	<u>·</u> cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASUREMENT	rs ·
PEV35 C _L to A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A-Pillar at Top of Windshield	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

	ORIGINAL SPECIFICATION	NS
Wheelbase Overall Length Maximum Width Curb Weight CV** Average Track Front Overhang Rear Overhang Undeformed End Width Engine Size: cyl./displ	inches > pounds > inches > inc	2.54 = 2.54 =
		X .0164 L
FRONT 700 Front bumper 701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify): 719 Unknown front object Left Side Components 720 Front fender side surface 721 Front antenna 722 A1 pillar 723 A2 pillar 724 B pillar 725 C pillar 726 D pillar 728 Other pillar (specify):	TA4 B pillar 745 C pillar 746 D pillar 748 Other pillar (specify): 749 Right side roof rail 750 Right side door surface 751 Right side door handle 752 Right side mirror fixed housing 753 Right side glazing forward of B pillar 755 Right side glazing forward of B pillar 756 Rear antenna 757 Rear fender or quarter panel 758 Other right side object (specify): 759 Unknown right side component Back Components 760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surface 768 Other back component (specify):	Wheels / tires 790 Left front wheel / tire 791 Right front wheel / tire 792 Left rear wheel / tire 793 Right rear wheel / tire 798 Other wheel / tire (specify): 799 Unknown wheel / tire Undercarriage components 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission 805 Drive shaft 806 Catalytic converter 807 Muffler 808 Floor pan 809 Fuel tank 810 Rear suspension 818 Other undercarriage component (specify): 819 Unknown undercarriage component
729 Left side roof rail 730 Left side door surface 731 Left side door handle 732 Left side mirror fixed housing 733 Left side folding mirror 734 Left side glazing forward of B pillar 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 737 Rear antenna	Top Components 770 Hood surface 771 Hood surface reinforced by under hood component 772 Front fender top surface 773 Cowl area 774 Wiper blade & mountings	820 Air scoop, deflector 821 Cellular or CB radio antenna 822 Emergency lights or bar

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET								
			I=(6)	PEUESI	RIAN CONTA	CHWORKSHI	13		
	CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle)</i>	SEQUENCE
(9)	(b)	Licenoslat	126	-6	0	(1) lyg	Fabric Bento e	2 3 9	1
	Ä	Bungan	112	-31	0	ريوان	scuffed/972	(1) 2 3 9	d
	a	GRILL	93	-14	Ø	upper	smeared	3 9	3
	DI	Roch	48	7	Λ	Nh	5mence	A 2 3 8	4
	3	END	84	-42	Q	HIT	and cleaked	1 2 3 9	4
	R	Books	72	-38	04	200	solderes)	2 2 9	5
	<u> </u>	francius	72	~93	9	",	mosciatch	1 2 3 9	5
	2		44	<u>-</u> -	0	Q.m	CULOS !	A2 3 9	Q
	0		37	-15	Q	No	Steroguatur	2 3 9	Q
	N	Hood	42	-38	0	المرامع	SCIANING TOP	<u> </u>	7
	6	Hood	51	-9 <i>3</i>	9	Stand	Will set of	1 2 3 9	8
	8	Hood	18	-13	W _A	*0	W/mmm dans	U2 3 8	8
	\mathcal{X}	(pood)	39	-37	0	Clash	Marie 27	12 3 9	0
	M		<i>J</i> 4	-30		24	Just steak		
		Hood	14	- 2 <i>5</i>	081	Feed	Smely	1 2 3 9	10
7		\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	- 15	-25	061		enered wide	1 2 3 9	17
}	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Cont	-30	-33	Q	Face	Smy	1 3 3 4 A 2 3 8	13
	5	 (1000) 	-23	-38	10	Hong	Varian James	1 2 3 9	13
)	42			30			Smilt stom	art 2 3 8	
		A J C	(8	£45		. 4	singles low	1 2 3 9	14
		(Car)	54	-61		wokon.	Scratches of	1 2 3 9	14
					\	- October	1	1 2 3 9	
								1 2 3 9	
								1 2 3 9	
	سسيا								

¥155	POINTS OF PEDESTRIAN CONTACT									
				CHRONO	LOGICAL ORD	ER OF CONTACTS				
	CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)		
	19	718	126	- 6	- 1	L. Knee	dent	2 3 9		
	" 5	770	47	-7	0	L. Ar L	Semff	() 2:33		
	G	770	18	-17	0	L. Shouldan	Sen 11	() 2 3 9		
	•6-	סיר	18	-17	0	2. short	Je- 44	D 239		
	5 <i>G</i>	770	18	-17	5	Pib (L)	tense	O 2 3 9		
	• 8	770	18	-45	0	Ps boulder	Jen df	D 2 3 9		
1	TX.	788	18	-25		Chin FX	det	Ø 2: 3:9		
	t			L		_ 1		1 2 3 8		
	9			rest	کا	Injurios		1 2 3 9		
	19			Head	5/6	4	9-0-14	1 22 3 3		
	11							1 2 3 9		
	12							1 2 3 9		
	13							1 2 3 9		
	14							1 2 3 9		
	15							1 2 3 9		
	16							1 2 3 9		
	17 							1 2 3 5		
	18							1 2 3 9		
	19 							1: 2: 3 9		
	21							1 2 3 9		
	22							1 2 3 9		
	23							1 2 3 9		
	24							19: Z2: 3: B		
	25							1* 2* 3 9		


DOINTS	\circ	PEDESTRIAN	CONTACT	DEDECTO	IANI#1
PUINTS	UE	PEDESIKIAN	CUNIACI	FEDEGIN	1 <i>P</i> 414 # 1

HEDESTRIAN CONTROL WORKSHEET FASE

CONTACT	COMPONENT	LONGITUDINAL	LATERAL	CRUSH	**************************************		CONFIDENCE LEVEL OF
I D LABEL	CONTACTED (CODE or OBJECT)	LOCATION	LOCATION	IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONTACT POINT
d.	Licine Plate	7-36	- 6	0	Legs	Febric/ Livre Pents	3 2 3 9
8	Brufe	生らり	-31	0	Forward Lag	sculfed	1 2 3 9
0	Geill	5-69	- 14	0	When One	Smeah	2 3 9
	409000	I-18	<u>ー</u> か		300	Sneared	2 3 9
	1 Em	1-78	-47	<u> </u>		gues	1/2 3 9
	took tun	t- 90	~ 38	0<1		scuff hanks	1 2 3 9
40	17/2001		-29			angled Stroths	1 2 3 9
<u>a</u>	4000	イン	<u> </u>			Surline	1 2 3 9
0	\\ _0	47 3 4	-38			Form fan B Stratch	1 2 3 9
10	Hood	51	-73			Byun a Churchard 10	1 2 3 9
3	Hood	13	-17			wider suntinto	1 2 3 9
8	Masso	39	-32			Norm	1 2 3 9
M	Moss.	4	~30			stratch	1 2 3 9
7	4	14	-25			Womer smales	1 2 3 9
	16000	-15	-2.5			widly think Notand	1 2 3 9
	Cowl	-30	-95				1 2 3 9
5	Hood	\5	-33			Serter Shulg	1 2 3 9
4	No idea is	£6~	-38	A- 4-3\		, ,	1 2 3 9
1	also wipersp	in Knob	smore stee	we on the	:	5 1/ 20 10gg 1180	1 2 3 9
4	100C	18	151			Shripad Demulo Southspeak	1 2 3 9
		57					1 2 3 9
							1 2 3 9
							1 2 3 9

ENAN

+



VEHICLE DIMENSIONS	11. Hood Width Rear Opening
4. Original Wheelbase	Code to the
Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
104 >	inches X 2.54 = centimeters
inches X 2.54 = centimeters	
5 Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width /	Pedestrian
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush(2) Minor crush (1-3 centimeters)
(999), Unknown	(3) Moderate crush (4-7 centimeters)
	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
_	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	
(2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact (0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel	(2) Contacted by pedestrian - damaged
(8) Other (specify):	(3) Unknown if contacted by pedestrian - not
(9) Olikilowii	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged (9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement	
·	
(3) Non-OEM replacement	FRONT CONTACT DAMAGE
·	FRONT CONTACT DAMAGE
(3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements
(3) Non-OEM replacement	Front Vertical Measurements
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): St. Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Start Start (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): St. Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): 5+ 5+ cell (9) Unknown 15. Front Bumper Reinforcement Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): St. Steel (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): St. Steel (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): St. Steel (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): St. Steel (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (999) Unknown centimeters	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): St. Steel (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Standard Standa
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (999) Unknown centimeters	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Standard Standa
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Standard Standa
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Styles (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height — Code to the — nearest centimeter (000) No front contact (150) 150 centimeters or more
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Standard Standa

		Side Lateral Messurements
29.	Centerline of Wheel Code to the	ベベク
	nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the nearest centimeter (250) 250 centimeters or more (999) Unknown
30.	Top of Tire Code to the nearest centimeter	inches X 2.54 = centimeters
	(000) No side contact (200) 200 centimeters or more (999) Unknown	36. Centerline to A-Pillar at Top of Windshield Code to the nearest centimeter
31.	Top of Wheel Well Opening	(000) No side contact (250) 250 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No side contact	inches X 2.54 = centimeter
	(250) 250 centimeters or more (999) Unknown inches X 2.54 = centimeters	37. Centerline to Maximum Side View Mirror Protrusion Code to the
32.	Bottom of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact	nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown . inches X 2.54 = centimeter
	(250) 250 centimeters or more (999) Unknown	Side Wrap Distance Measurements
33.	Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
34.	Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown inches X 2.54 = centimeters
	inches X 2.54 = centimeters	IIIGIIGS A 2.57 CORRINOCOIS

40. Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	000		
41. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	centimeters		
inches X 2.54 =	centimeters		
			·
		·	
		·	



82621P00000011 969.040000000000110010100001 0000000000000000 01 82621P00010012 969.041000000000115F72000 82621P00010021 9.04 000000007911755009314310311013002301030179900511006204 9969915161819 82621P00010131 9.04 00000000018902021271811233 82621P00010231 9.04 00000000017904021277011222 9.04 00000000017904021277011222 82621P00010331 82621P00010431 9.04 00000000017902021277011222 82621P00010531 9.04 00000000014502324277011222 82621P00010631 9.04 00000000017904021177011222 82621P00010731 9.04 00000000012506001978811433 82621P00010831 9.04 00000000011502023894711000 82621P00010931 9.04 00000000011504022594711000 9.04 00000000011504022194711000 82621P00011031 82621P00011131 9.04 00000000011406545394711000 82621P00011231 9.04 00000000011406244394711000 82621P00011331 9.04 00000000011406285394711000 82621P00011431 9.04 00000000021608204094711000 82621P00011531 9.04 00000000011402105894711000 82621P00011631 9.04 00000000011402045894711000 82621P00011731 9.04 00000000011404384694711000 9.04 00000000021406665194711000 82621P00011831 82621P00011931 9.04 00000000021406665294711000 82621P01000041 |99905609600129003003 9.04 0000000009235471301N6SD11S8N0 31181015033231312211211 82621P01000051

9.04 000000002659993109114014014020430430590780607809017718

0000000000000

PSU82 CASE 621P CURRENT VERSION: 9.04 ERROR SUMMARY SCREEN PEDESTRIAN STUDY

- 45	¥97	
4	and the second	

	UMBER OF OLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	o	0	0	Υ
Pedestrian Assessment	O	0	Ö	Υ
Pedestrian Injury	O	0	0	Υ
Pedestrian General Vehicle	O	0	0	Υ
Pedestrian Exterior Vehicle	e O	О	O	Υ
Total Inter Errors		o	0	
Total Case Errors	o	o	o	

"GRAPHIC" PHOTOGRAPHS and IMAGES

Several vivid photographs have been removed for this case.

These photographs contain highly graphic material which may be improper for the general audience.

PSU82-621p (1996) Slides #1-11

If you would like a copy of these photographs and/or images please call or write to:

Marjorie Saccoccio at (617) 494-2640
VOLPE NATIONAL TRANSPORTATION SYSTEMS CENTER
55 Broadway
Cambridge, MA 02142